

MATERIAL SAFETY DATA SHEET

ONYX™ INSECTICIDE



MSDS Ref. No.: 82657-04-3-114

Date Approved: 04/15/2008

Revision No.: 9

This document has been prepared to meet the requirements of the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200 and Canada's Workplace Hazardous Materials Information System (WHMIS) requirements.

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: ONYX™ INSECTICIDE
PRODUCT CODE: 6206
ACTIVE INGREDIENT(S): Bifenthrin
CHEMICAL FAMILY: Pyrethroid Pesticide
MOLECULAR FORMULA: $C_{23}H_{22}ClF_3O_2$ (bifenthrin)
SYNONYMS: FMC 54800; (2-methyl[1,1'-biphenyl]-3-yl)methyl 3-(2-chloro-3,3,3-trifluoro-1-propenyl)-2,2-dimethylcyclopropanecarboxylate; IUPAC: 2-methylbiphenyl-3-ylmethyl (Z)-(1RS)-cis-3-(2-chloro-3,3,3-trifluoroprop-1-enyl)-2,2-dimethylcyclopropanecarboxylate
ALTERNATE PRODUCT NAME(S): Biflex SFR

MANUFACTURER

FMC CORPORATION
Agricultural Products Group
1735 Market Street
Philadelphia, PA 19103
(800) 321-1362 (General Information)
msdsinfo@fmc.com (Email - General Information)

EMERGENCY TELEPHONE NUMBERS

(800) 331-3148 (Medical - U.S.A. & Canada)
(651) 632-6793 (Medical - Collect - All Other Countries)

For leak, fire, spill, or accident emergencies, call:
(800) 424-9300 (CHEMTREC - U.S.A. & Canada)
(703) 527-3887 (CHEMTREC - Collect - All Other Countries)

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:

- Amber liquid with an aromatic hydrocarbon odor.
- Moderately combustible. May support combustion if heated above the product's flash point (see Section 9, "Physical and Chemical Properties" below).
- Thermal decomposition and burning may form toxic by-products.
- For large exposures or fire, wear personal protective equipment.
- Highly toxic to fish and aquatic organisms. Keep out of drains and water courses.

- Moderately toxic if swallowed.
- Moderately irritating to the skin and eyes.

POTENTIAL HEALTH EFFECTS: Effects from overexposure result from either swallowing or coming into contact with the skin. Symptoms of overexposure include bleeding from the nose, tremors and convulsions. Contact with bifenthrin may occasionally produce skin sensations such as rashes, numbing, burning or tingling. These skin sensations are reversible and usually subside within 12 hours.

MEDICAL CONDITIONS AGGRAVATED: None presently known.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS#	Wt. %	EC No.	EC Class
Bifenthrin	82657-04-3	23.34	None	T-Xn-Xi-N; R25-20-43-50/53
Alkyl biphenyl mixture	69009-90-1	<33.4	273-683-8	Not classified
Aliphatic Hydrocarbons	64742-47-8	<13.1	265-149-8	Xn; R65
Surfactant Blend		<8	None	Not classified

4. FIRST AID MEASURES

EYES: Flush with water for at least 15 minutes. If irritation occurs and persists, contact a medical doctor.

SKIN: Remove contaminated clothing and thoroughly wash with soap and water. If irritation occurs and persists, contact a medical doctor.

INGESTION: Do not induce vomiting and do not give liquids of any kind to the person. Never give anything by mouth to an unconscious person. See a medical doctor immediately.

INHALATION: Remove to fresh air. If breathing difficulty or discomfort occurs and persists, obtain medical attention.

NOTES TO MEDICAL DOCTOR: This product is moderately toxic if swallowed. It is expected to have low dermal toxicity. This product is moderately irritating to the eyes and skin. Reversible skin sensations (paresthesia) may occur and ordinary skin salves have been found useful in reducing discomfort. Contains aliphatic hydrocarbons that can produce a severe pneumonitis or fatal pulmonary edema if aspirated during vomiting. Consideration should be given to gastric lavage with an endotracheal

tube in place. Treatment is otherwise controlled removal of exposure followed by symptomatic and supportive care.

5. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: Foam, CO₂ or dry chemical. Soft stream water fog only if necessary. Contain all runoff.

FIRE / EXPLOSION HAZARDS: Moderately combustible. When heated above the flash point, this material releases vapors which, when mixed with air, can burn or be explosive.

FIRE FIGHTING PROCEDURES: Isolate fire area. Evacuate downwind. Wear full protective clothing and self-contained breathing apparatus. Do not breathe smoke, gases or vapors generated.

6. ACCIDENTAL RELEASE MEASURES

RELEASE NOTES: Isolate and post spill area. Wear protective clothing and personal protective equipment as prescribed in Section 8, "Exposure Controls/Personal Protection". Keep unprotected persons and animals out of the area.

Keep material out of lakes, streams, ponds and sewer drains. Dike to confine spill and absorb with a non-combustible absorbent such as clay, sand or soil. Vacuum, shovel or pump waste into a drum and label contents for disposal.

To clean and neutralize contaminated area, scrub area with a solution of detergent (e.g. commercial product such as SuperSoap™, Tide®, Spic and Span®, or other high pH detergent) and water. Let solution sit for 5 minutes. Use a stiff brush to scrub affected area. Repeat if necessary to remove visible staining. Additional decontamination can be made by applying bleach (Clorox® or equivalent) to affected area.

Absorb wash-liquid as noted above, remove visibly contaminated soil and place into recovery / disposal container (plastic, open-top steel drum or equivalent). Place all clean-up material in a container, seal and dispose of in accordance with the method outlined in Section 13 "Disposal Considerations" below.

For further information on spill clean-up, waste disposal, or return of salvaged product, call the FMC Emergency Hotline number listed in Section 1 "Product and Company Identification" above.

7. HANDLING AND STORAGE

HANDLING AND STORAGE: Store in a cool, dry, well-ventilated place. Do not use or store near heat, open flame or hot surfaces. Store in original containers only. If crystals are observed, warm to above 60°F (15.4°C) by placing container in warm location. Shake or roll container periodically to dissolve solids. Do not use external source of heat for warming container. Keep out of reach of children and animals. Do not contaminate other pesticides, fertilizers, water, food or feed by storage or disposal.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS

Chemical Name	ACGIH	OSHA	Supplier
Aliphatic Hydrocarbons	10 mg/m ³ (STEL)	5 mg/m ³ (PEL)	

ENGINEERING CONTROLS: Use local exhaust at all process locations where vapor or mist may be emitted. Ventilate all transport vehicles prior to unloading.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: For splash, mist or spray exposure, wear chemical protective goggles or a face shield.

RESPIRATORY: For splash, mist or spray exposure wear, as a minimum, a properly fitted air-purifying respirator with an organic vapor cartridge (OV) or canister with any R, P or HE prefilter (approved by U.S. NIOSH/MSHA, EU CEN or comparable certification organization). Respirator use and selection must be based on airborne concentrations.

PROTECTIVE CLOTHING: Depending upon concentrations encountered, wear coveralls or long-sleeved uniform and head covering. For larger exposures as in the case of spills, wear full body cover barrier suit, such as a PVC suit. Leather items - such as shoes, belts and watchbands - that become contaminated should be removed and destroyed. Launder all work clothing before reuse (separately from household laundry).

GLOVES: Wear chemical protective gloves made of materials such as nitrile, neoprene or Viton® brand. Thoroughly wash the outside of gloves with soap and water prior to removal. Inspect regularly for leaks.

WORK HYGIENIC PRACTICES: Clean water should be available for washing in case of eye or skin contamination. Wash skin prior to eating, drinking, chewing gum, or using tobacco. Shower at the end of the workday.

COMMENTS:

Personal protective recommendations for mixing or applying this product are prescribed on the product label. Information stated above provides useful, additional guidance for individuals whose use or handling of this product is not guided by the product label.

9. PHYSICAL AND CHEMICAL PROPERTIES

ODOR:	Aromatic hydrocarbon
APPEARANCE:	Amber liquid
DENSITY / WEIGHT PER VOLUME:	8.59 lb/gal. (1031 g/L)
FLASH POINT:	67 - 70°C (153 - 158°F)
MOLECULAR WEIGHT:	422.9 (bifenthrin)
pH:	3.9
SOLUBILITY IN WATER:	Emulsifies
SPECIFIC GRAVITY:	1.031 @ 20°C (water = 1)

10. STABILITY AND REACTIVITY

CONDITIONS TO AVOID:	Excessive heat and fire.
STABILITY:	Stable
POLYMERIZATION:	Will not occur
HAZARDOUS DECOMPOSITION PRODUCTS:	Carbon monoxide, carbon dioxide, hydrogen chloride and hydrogen fluoride.

11. TOXICOLOGICAL INFORMATION

EYE EFFECTS: Moderately irritating (rabbit)

SKIN EFFECTS: Moderately irritating (rabbit)

DERMAL LD₅₀: Bifenthrin: > 2,000 mg/kg (rabbit)

ORAL LD₅₀: 153 mg/kg (rat)

ACUTE EFFECTS FROM OVEREXPOSURE: This product is moderately toxic if swallowed. It is expected to have low dermal toxicity. This product is moderately irritating to the eyes and skin. Large doses of bifenthrin ingested by laboratory animals produced signs of toxicity including convulsions, tremors and bloody nasal discharge. Bifenthrin does not cause acute delayed neurotoxicity. Experience to date indicates that contact with bifenthrin may occasionally produce skin sensations such as rashes, numbing, burning or tingling. These sensations are reversible and usually subside within 12 hours. Inhalation of aliphatic hydrocarbon vapors may cause dizziness, disturbances in vision, drowsiness, respiratory irritation, and eye, skin and mucous membrane irritation. Vomiting after ingestion of this product may cause aspiration of aliphatic hydrocarbons into the lungs, which may result in fatal pulmonary edema.

CHRONIC EFFECTS FROM OVEREXPOSURE: No data available for the formulation. In studies with laboratory animals, bifenthrin did not cause reproductive toxicity or teratogenicity. Tremors were associated with repeated exposure of laboratory animals to bifenthrin. In lifetime feeding studies conducted with laboratory animals, a slight increase in the incidence of urinary bladder tumors at the highest dose in male mice was considered to be an equivocal response, not evidence of a clear compound-related effect. The overall absence of genotoxicity has been demonstrated in mutagenicity tests with bifenthrin. Chronic exposure to aliphatic hydrocarbons may cause headaches, dizziness, loss of sensations or feelings (such as numbness), and liver and kidney damage.

CARCINOGENICITY:

NTP:	Not listed
IARC:	Not listed
OSHA:	Not listed
OTHER:	Not Listed (ACGIH)

12. ECOLOGICAL INFORMATION

No data available for the formulation. Data presented below are based on the active ingredient.

ENVIRONMENTAL DATA: In soil, bifenthrin is stable over a wide pH range and degrades at a slow rate that is governed by soil characteristics. Bifenthrin will also persist in aquatic sediments. Bifenthrin has a high Log Pow (6.6), a high affinity for organic matter, and is not mobile in soil. Therefore, there is little potential for movement into ground water. There is the potential for bifenthrin to bioconcentrate (BCF <2,000).

ECOTOXICOLOGICAL INFORMATION: Bifenthrin is highly toxic to fish and aquatic arthropods and LC₅₀ values range from 0.0038 to 17.8 µg/L. In general, the aquatic arthropods are the most sensitive species. Care should be taken to avoid contamination of the aquatic environment. Bifenthrin had no effect on mollusks at its limit of water solubility. Bifenthrin is only slightly toxic to both waterfowl and upland game birds (LD₅₀ values range from 1,800 mg/kg to >2,150 mg/kg).

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Open dumping or burning of this material or its packaging is prohibited. If spilled material cannot be disposed of by use according to label instructions, an acceptable method of disposal is to incinerate in accordance with local, state and national environmental laws, rules, standards and regulations. However, because acceptable methods of disposal may vary by location and regulatory requirements may change, the appropriate agencies should be contacted prior to disposal.

EMPTY CONTAINER: Non-returnable containers that held this material should be cleaned, prior to disposal, by triple rinsing. Containers which held this material may be cleaned by being triple-rinsed, and recycled, with the rinsate being incinerated. Do not cut or weld metal containers. Vapors that form may create an explosion hazard.

14. TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION (DOT)

PACKAGING TYPE:	Non-Bulk
PROPER SHIPPING NAME:	Pyrethroid pesticide, liquid, toxic
TECHNICAL NAME(S):	Bifenthrin
PRIMARY HAZARD CLASS / DIVISION:	6.1
UN/NA NUMBER:	UN 3352
PACKING GROUP:	III
LABEL(S):	6.1
PLACARD(S):	6.1
MARKING(S):	Pyrethroid pesticide, liquid, toxic (bifenthrin), UN 3352

PACKAGING TYPE:	Bulk
PROPER SHIPPING NAME:	Pyrethroid pesticide, liquid, toxic
TECHNICAL NAME(S):	Bifenthrin
PRIMARY HAZARD CLASS / DIVISION:	6.1
UN/NA NUMBER:	UN 3352
PACKING GROUP:	III
MARINE POLLUTANT:	Bifenthrin
LABEL(S):	6.1
PLACARD(S):	6.1
MARKING(S):	3352

INTERNATIONAL MARITIME DANGEROUS GOODS (IMDG)

PACKAGING TYPE:	Non-Bulk
PROPER SHIPPING NAME:	Pyrethroid pesticide, liquid, toxic
TECHNICAL NAME(S):	Bifenthrin
PRIMARY HAZARD CLASS / DIVISION:	6.1
UN/NA NUMBER:	UN 3352
PACKING GROUP:	III

MARINE POLLUTANT:	Bifenthrin
LABEL(S):	6.1
PLACARD(S):	6.1
MARKING(S):	Pyrethroid pesticide, liquid, toxic (bifenthrin), UN3352 + Marine Pollutant
ADDITIONAL INFORMATION:	EmS Number: F-A, S-A

**ADR - EUROPEAN AGREEMENT CONCERNING THE
INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD**

PACKAGING TYPE:	Non-Bulk
PROPER SHIPPING NAME:	Pyrethroid pesticide, liquid, toxic
TECHNICAL NAME(S):	Bifenthrin
PRIMARY HAZARD CLASS / DIVISION:	6.1
CLASSIFICATION CODE:	T6
UN/NA NUMBER:	UN3352
PACKING GROUP:	III
HAZARD IDENTIFICATION NUMBER:	60
MARINE POLLUTANT:	Bifenthrin
LABEL(S):	6.1
PLACARD(S):	6.1
MARKING(S):	UN 3352, Marine Pollutant
ADDITIONAL INFORMATION:	Flash Point: 67 - 70°C

**INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO) /
INTERNATIONAL AIR TRANSPORT ASSOCIATION (IATA)**

PACKAGING TYPE:	Non-Bulk
PROPER SHIPPING NAME:	Pyrethroid pesticide, liquid, toxic
TECHNICAL NAME(S):	Bifenthrin
PRIMARY HAZARD CLASS / DIVISION:	6.1
UN/NA NUMBER:	UN3352
PACKING GROUP:	III
LABEL(S):	6.1

LIMITED QUANTITY:	Y611 / 2L
LIMITED QUANTITY: PASSENGER / CARGO:	611 / 60L
LIMITED QUANTITY: CARGO:	618 / 220L
ADDITIONAL INFORMATION:	Country of origin or destination regulations may require the addition of "Marine Pollutant" to the marks and shipping paper description.
	Marks: Pyrethroid pesticide, liquid, toxic (bifenthrin), UN3352
	Marine Pollutant: Bifenthrin

OTHER INFORMATION:
HARMONIZED SYSTEM NUMBERS:
Import to the U.S.A.: 3808.91.2500
Export from the U.S.A.: 3808.91.0000

15. REGULATORY INFORMATION

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355, APPENDIX A):
Not listed

SECTION 311 HAZARD CATEGORIES (40 CFR 370):
Immediate, Delayed, Fire

SECTION 312 THRESHOLD PLANNING QUANTITY (40 CFR 370):
The Threshold Planning Quantity (TPQ) for this product, if treated as a mixture, is 10,000 lbs; however, this product contains the following ingredients with a TPQ of less than 10,000 lbs.:
None

SECTION 313 REPORTABLE INGREDIENTS (40 CFR 372):
This product contains the following ingredients subject to Section 313 reporting requirements:
Bifenthrin

CERCLA (COMPREHENSIVE ENVIRONMENTAL RESPONSE COMPENSATION AND LIABILITY ACT)

CERCLA DESIGNATION & REPORTABLE QUANTITIES (RQ) (40 CFR 302.4):
Not listed

FEDERAL INSECTICIDE FUNGICIDE RODENTICIDE ACT
U.S. EPA Signal Word: WARNING

CANADA

WHMIS (WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM):

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

Hazard Classification / Division: B3
D1B
D2B

INTERNATIONAL LISTINGS

Australian Hazard Code: 2X

HAZARD AND RISK PHRASE DESCRIPTIONS:

EC Symbols:	T	(Toxic)
	Xn	(Harmful)
	Xi	(Irritant)
	N	(Dangerous for the environment)
EC Risk Phrases:	R20	(Harmful by inhalation.)
	R25	(Toxic if swallowed.)
	R43	(May cause sensitization by skin contact.)
	R50/53	(Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.)
	R65	(Harmful: may cause lung damage if swallowed.)

16. OTHER INFORMATION

NEPA

Health	2
Flammability	2
Reactivity	0
Special	None

No special requirements

NEPA (National Fire Protection Association)

Degree of Hazard Code:

- 4 = Extreme
- 3 = High
- 2 = Moderate
- 1 = Slight
- 0 = Insignificant

REVISION SUMMARY:

This MSDS replaces Revision #8, dated February 26, 2008.

Changes in information are as follows:

Section 1 (Product and Company Identification)

Section 16 (Other Information)

Onyx, Biflex and FMC - Trademarks of FMC Corporation

Viton - E.I. du Pont de Nemours & Co. Trademark

SuperSoap - Trademark of Weba Technologies, Inc.; Tide - Trademark of Proctor and Gamble; Spic and

Span: Trademark of The Spic and Span Company; Clorox - Trademark of The Clorox Company

© 2008 FMC Corporation. All Rights Reserved.

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY, OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specific product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.